




1 inch re




ference square




(4) #8-32 x 1/2 NYLON PAN HD. SCREW
(WING ATTACH, MATCH DIA THRU




US
DRILL & TAP #8-32 THREAD
/ WING
/ INTO TOP OF FUSE.







(A)
NYLON
HINGES



(3) #6-3
BAT
* NOS
P







2 NYLON SCREW 1/16
T. COVER
PIECE

FIA


F2

(6) # 8-32 x 1/2 NYLON
PAN. HD. SCREWS







ALL PARTS
3/16" Balsa




(2)
NYLON
HINGES



DRILL $\frac{3}{8}$ DIA. HOLE IN FINISHED
5mm WHITE LEDs (BOTH WH
A





WHEEL PANT

WHEEL
MOUNTS

Red


Black

AXLE HARDWARE

OAK WHEEL PANT MOUNT ATTACH
(2) #6-32 x 1/2" NYLON

WHEEL PANT ATTACH
(4) #6-32 x 1/2" NYLON PAN-HD S

- (2) #8-32 x 2" MACHINE SCREWS
- (4) #8-32 HEX NUTS
- (4) #8-32 NYLOCK NUTS



4 / SCREWS

CREWS



Copyright 2021 and **ModelAviation**

Copying for resale of this drawing without the written approval or consent of AMA is expressly prohibited.



TIRES - 4.75 DIA. X 1.75 WIDE, FOAM

3 CHANNEL - ELEV., THRO., RUDDER

PROP - 11 X 5.5 ELECTRIC

BATTERY - 3 CELLS LI-POLY 2100 mAh 11.1 Volt

HEIGHT - 22"


LENGTH - 57"

WING SPAN - 71"

WING LOADING - 0.62 OZ. PER SQ. IN.

WEIGHT - 11.8 LI OZ

MOTOR - E-ELITE POWER 25 1250 KV BRUSHLESS OUTRUNNER



2 RUD. ELEV.
SERVO MOUNT

1/4"
SQ.
BALSA

2 3/8 Ply.
TAIL SKID



ALL PARTS
3/16 Balsa

Sky Fliieger

DESIGNED & DRAWN

By Clark ~~Sutcliffe~~ 10/2020

Sheet 1 of 4 Plan No. 1128